

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413

Pain Killer 05 (3)

Batch ID or Lot Number: THC-PK05	Test: Potency	Reported: 30May2024	USDA License: N/A
Matrix: Unit	Test ID: T000282427	Started: 30May2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30May2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.141	0.479	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.129	0.438	ND	ND	
Cannabidiol (CBD)	0.445	1.253	2.250	0.00	
Cannabidiolic Acid (CBDA)	0.456	1.285	ND	ND	
Cannabidivarin (CBDV)	0.105	0.296	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.190	0.536	ND	ND	
Cannabigerol (CBG)	0.080	0.272	ND	ND	
Cannabigerolic Acid (CBGA)	0.335	1.138	ND	ND	
Cannabinol (CBN)	0.105	0.355	ND	ND	
Cannabinolic Acid (CBNA)	0.229	0.776	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.400	1.355	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.363	1.231	10.030	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.322	1.091	ND	ND	
Tetrahydrocannabivarin (THCV)	0.073	0.248	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.284	0.962	ND	ND	
Total Cannabinoids			12.280	0.00	
Total Potential THC			10.030	0.00	
Total Potential CBD			2.250	0.00	

Final Approval



Karen Winternheimer
30May2024
03:15:00 PM MDT

PREPARED BY / DATE



Sam Smith
30May2024
03:17:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ece18bb6-f87f-4cae-bd02-8754edd9f4d1>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
ece18bb6f87f4cae-bd028754edd9f4d1.1