

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Pain Killer #2

Batch ID or Lot Number: Pain Killer #2	Test: Potency	Reported: 02Jan2024	USDA License: N/A
Matrix: Unit	Test ID: T000266112	Started: 28Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.173	0.465	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.158	0.426	ND	ND	
Cannabidiol (CBD)	0.496	1.273	5.390	0.00	
Cannabidiolic Acid (CBDA)	0.509	1.306	ND	ND	
Cannabidivarin (CBDV)	0.117	0.301	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.212	0.545	ND	ND	
Cannabigerol (CBG)	0.098	0.264	ND	ND	
Cannabigerolic Acid (CBGA)	0.410	1.105	ND	ND	
Cannabinol (CBN)	0.128	0.345	ND	ND	
Cannabinolic Acid (CBNA)	0.280	0.754	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.488	1.316	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.444	1.195	9.040	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.393	1.059	ND	ND	
Tetrahydrocannabivarin (THCV)	0.089	0.240	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.347	0.934	ND	ND	
Total Cannabinoids			14.430	0.00	
Total Potential THC			9.040	0.00	
Total Potential CBD			5.390	0.00	

Final Approval



Sam Smith
02Jan2024
03:09:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
02Jan2024
03:15:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/27d42400-5c1f-4f03-92b4-0c8f7b88b0b5>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

27d424005c1f4f0392b40c8f7b88b0b5.1