

Prepared for:
Dangerous Man Brewing Co.

1300 2nd St. NE
Minneapolis, MN USA 55413

Pain Killer #3

Batch ID or Lot Number: THC-PK03	Test: Potency	Reported: 27Feb2024	USDA License: N/A
Matrix: Unit	Test ID: T000272397	Started: 27Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Feb2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.145	0.488	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.133	0.446	ND	ND	
Cannabidiol (CBD)	0.444	1.265	6.950	0.00	
Cannabidiolic Acid (CBDA)	0.455	1.298	ND	ND	
Cannabidivarin (CBDV)	0.105	0.299	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.190	0.541	ND	ND	
Cannabigerol (CBG)	0.082	0.277	ND	ND	
Cannabigerolic Acid (CBGA)	0.344	1.158	ND	ND	
Cannabinol (CBN)	0.107	0.362	ND	ND	
Cannabinolic Acid (CBNA)	0.235	0.790	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.410	1.380	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.372	1.253	11.220	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.330	1.111	ND	ND	
Tetrahydrocannabivarin (THCV)	0.075	0.252	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.291	0.980	ND	ND	
Total Cannabinoids			17.170	0.00	
Total Potential THC			10.220	0.00	
Total Potential CBD			6.950	0.00	

Final Approval



Karen Winternheimer
27Feb2024
02:24:00 PM MST

PREPARED BY / DATE



Sam Smith
27Feb2024
02:27:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e8c4b9e7-70c7-4996-aaf4-cfd3078c1821>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

e8c4b9e770c74996aaf4cfd3078c1821.1