

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413

Orange Dreamsicle (02)

Batch ID or Lot Number: THC-OD01	Test: Potency	Reported: 12Jun2024	USDA License: N/A
Matrix: Unit	Test ID: T000283738	Started: 12Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Jun2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.133	0.461	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.121	0.422	ND	ND	
Cannabidiol (CBD)	0.459	1.241	1.780	0.00	
Cannabidiolic Acid (CBDA)	0.471	1.272	ND	ND	
Cannabidivarin (CBDV)	0.109	0.293	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.196	0.531	ND	ND	
Cannabigerol (CBG)	0.075	0.262	ND	ND	
Cannabigerolic Acid (CBGA)	0.315	1.095	ND	ND	
Cannabinol (CBN)	0.098	0.342	ND	ND	
Cannabinolic Acid (CBNA)	0.215	0.747	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.375	1.305	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.341	1.185	10.390	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.302	1.050	ND	ND	
Tetrahydrocannabivarin (THCV)	0.069	0.238	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.266	0.926	ND	ND	
Total Cannabinoids			12.170	0.00	
Total Potential THC			10.390	0.00	
Total Potential CBD			1.780	0.00	

Final Approval



Karen Winternheimer
12Jun2024
02:23:00 PM MDT

PREPARED BY / DATE



Sam Smith
12Jun2024
02:28:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/54f6b817-3a72-443d-9029-61480c62089c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
54f6b8173a72443d902961480c62089c.1