

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Key Lime Pie 01

Batch ID or Lot Number: THC-KLP01	Test: Potency	Reported: 23Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000278091	Started: 22Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.118	0.428	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.108	0.391	ND	ND	
Cannabidiol (CBD)	0.389	1.154	3.070	0.00	
Cannabidiolic Acid (CBDA)	0.399	1.184	ND	ND	
Cannabidivarin (CBDV)	0.092	0.273	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.167	0.494	ND	ND	
Cannabigerol (CBG)	0.067	0.243	ND	ND	
Cannabigerolic Acid (CBGA)	0.280	1.016	ND	ND	
Cannabinol (CBN)	0.087	0.317	ND	ND	
Cannabinolic Acid (CBNA)	0.191	0.693	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.333	1.210	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.302	1.099	4.730	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.268	0.974	ND	ND	
Tetrahydrocannabivarin (THCV)	0.061	0.221	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.236	0.859	ND	ND	
Total Cannabinoids			7.800	0.00	
Total Potential THC			4.730	0.00	
Total Potential CBD			3.070	0.00	

Final Approval



Karen Winternheimer
23Apr2024
12:01:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
23Apr2024
12:03:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/811d3ce2-bb14-4ed9-be5d-526f5bcd754c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
811d3ce2bb144ed9be5d526f5bcd754c.1