

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413

Pain Killer 04

Batch ID or Lot Number: THC-PK04	Test: Potency	Reported: 01Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000276077	Started: 01Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.125	0.384	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.114	0.351	ND	ND	
Cannabidiol (CBD)	0.458	1.331	3.920	0.00	
Cannabidiolic Acid (CBDA)	0.469	1.365	ND	ND	
Cannabidivarin (CBDV)	0.108	0.315	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.196	0.569	ND	ND	
Cannabigerol (CBG)	0.071	0.218	ND	ND	
Cannabigerolic Acid (CBGA)	0.297	0.911	ND	ND	
Cannabinol (CBN)	0.093	0.284	ND	ND	
Cannabinolic Acid (CBNA)	0.203	0.621	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.354	1.085	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.321	0.985	9.390	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.285	0.873	ND	ND	
Tetrahydrocannabivarin (THCV)	0.065	0.198	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.251	0.770	ND	ND	
Total Cannabinoids			13.310	0.00	
Total Potential THC			9.390	0.00	
Total Potential CBD			3.920	0.00	

Final Approval



Karen Winternheimer

01Apr2024

02:14:00 PM MDT

PREPARED BY / DATE



Phillip Travisano

01Apr2024

02:16:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/17cf9bfd-78ad-46ba-9de6-4b39882d37c9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

17cf9bfd78ad46ba9de64b39882d37c9.1