

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Pain Killer 07

Batch ID or Lot Number: THC-PK07	Test: Potency	Reported: 20Jun2024	USDA License: N/A
Matrix: Unit	Test ID: T000284613	Started: 20Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jun2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.122	0.444	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.111	0.407	ND	ND	
Cannabidiol (CBD)	0.400	1.214	2.050	0.00	
Cannabidiolic Acid (CBDA)	0.411	1.245	ND	ND	
Cannabidivarin (CBDV)	0.095	0.287	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.171	0.519	ND	ND	
Cannabigerol (CBG)	0.069	0.252	ND	ND	
Cannabigerolic Acid (CBGA)	0.289	1.055	ND	ND	
Cannabinol (CBN)	0.090	0.329	ND	ND	
Cannabinolic Acid (CBNA)	0.197	0.720	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.344	1.257	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.313	1.141	10.110	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.277	1.011	ND	ND	
Tetrahydrocannabivarin (THCV)	0.063	0.230	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.244	0.892	ND	ND	
Total Cannabinoids			12.160	0.00	
Total Potential THC			10.110	0.00	
Total Potential CBD			2.050	0.00	

Final Approval



Sam Smith
20Jun2024
02:27:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
20Jun2024
02:28:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/6e72ab75-8b3c-41c4-a448-ece6c416479c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

6e72ab758b3c41c4a448ece6c416479c.1